## Contents Volume 25, 1989

Stability of the amylxanthate ion as a function of pH: modelling and comparison with the ethylxanthate ion
P. de Donato, J.M. Cases, M. Kongolo, A. Cartier and J.L. Rivail (Vandoeuvre, France) ..... 1
Influence of particle shape on liberation
U. Preti, G. Ferrara (Trieste, Italy) and T.P. Meloy (Morgantown, W. Va., U.S.A.) ..... 17
Flotation of cerussite with a synthetic chelating collector
A.M. Marabini, M. Barbaro and B. Passariello (Rome, Italy) ..... 29
Calculation of energy required for grinding in a ball mill
N.M. Magdalinovíc (Bor, Yugoslavia) ..... 41
An experimental study of the settling velocities of single particles in non-Newtonian fluids
P.A. Reynolds (Gateshead, Great Britain) and T.E.R. Jones (Plymouth, Great Britain) ..... 47
Purification of an ammoniacal zinc leach liquor using a rotating zinc disc after copper solvent extraction
G. Roy Chaudhury and I.N. Bhattacharya (Bhubaneswar, Orissa, India) ..... 79
X-ray photoelectron spectroscopy (XPS) studies of potassium amyl xanthate (KAX) adsorption on precipitated PbS related to galena flotation
P.W. Page and L.B. Hazell (Sunbury on Thames, Middx., Great Britain) ..... 87
Macromolecular organic depressants in sulphide flotation — a review, 1. Principles, types and applications
R.J. Pugh (Stockholm, Sweden) ..... 101
Macromolecular organic depressants in sulphide flotation — a review, 2. Theoretical analysis of the forces involved in the depressant action
R.J. Pugh (Stockholm, Sweden) ..... 131
*Short Notes*
Sulphation-roasting of low-grade manganese ores — optimisation by factorial design
P.K. Sahoo and K.S. Rao (Bhubaneswar, India) ..... 147
Workshop on the flotation-related surface chemistry of sulfide minerals
G.W. Walker, P.E. Richardson (Washington, D.C., U.S.A.) and A.N. Buckley (North Ryde, N.S.W., Australia) ..... 153

Restricted stratified random sampling
I.W. Saunders (Gold Coast Mail Centre, Qld., Australia) and G.K. Robinson (Clayton, Vic., Australia) ..... 159
Locking profile of diamond-shaped particles of all aspect ratios
T.P. Meloy and N.N. Clark (Morgantown, W. Va., U.S.A.) ..... 167
A simplified variogram method for determining the estimation error variance in sampling from a continuous stream
I.W. Saunders (Gold Coast Mail Centre, Qld., Australia), G.K. Robinson, T. Lwin and R.J. Holmes (Melbourne, Vic., Australia) ..... 175
The significance of bubble/particle contact time during collision in the analysis of flotation phenomena
Y. Ye and J.D. Miller (Salt Lake City, Utah, U.S.A.) ..... 199
Induction-time measurements at a particle bed
Y. Ye, S.M. Khandrika and J.D. Miller (Salt Lake City, Utah, U.S.A.) ..... 221
Iron removal during oxidative, acid pressure leaching of a zinc sulphide concentrate
F.M. Doyle, H. Arauco and L.M. Feng (Berkeley, Calif., U.S.A.) ..... 241
Anionic flotation of magnesium carbonates by modifiers
K.A. Matis and G.P. Gallios (Thessaloniki, Greece) ..... 261
The relationship between flotation and adhesion of galena particles to the air-solution interface
I. Nishkov (Sofia, Bulgaria) and R.J. Pugh (Stockholm, Sweden) ..... 275

Asymmetrical particles — their volume locking profile
T.P. Meloy and J.W. van Egmond (Morgantown, W. Va., U.S.A.) ..... 289
Comparison of the performance of water-sealed and commercial hydrocyclones
Luo Qian, Deng Changlie, Xu Jirun (Shenyang, P.R. China), Yu Lixin and Xiong Guangai (Yunnan, P.R. China) ..... 297
*Technical Note*
Canadian silica resources for glass and foundry sand production: processing studies at CANMET
P.R.A. Andrews and R.K. Collings (Ottawa, Ont., Canada) ..... 311